

NEW DOBLÒ CARGO.



PROFESSIONAL



• NEW INSTRUMENTS

• NEW STEERING WHEEL WITH AUDIO CONTROLS

• RADIO UCONNECT™ WITH TOUCHSCREEN



• THIRD SEAT IN CAB
• MULTIFUNCTIONAL SEATS



MORE FUNCTIONALITY

- Up to 3 seats in cab
- Multifunctional seats
- Many useful storage compartments
- 3 levels of infotainment systems:
 - Bluetooth® radio with USB port
 - Uconnect™ radio with 5" touchscreen, steering wheel controls and USB/AUX socket
 - Uconnect™ Nav radio with 5" touchscreen and built-in navigator
- Best in class payload: more than 1 ton
- Best in class loading volume: up to 5.4 m³
- Best in class loading area length: up to 3.40 m



MORE PERFORMANCE

ENGINE VERSIONS

- Four Diesel MultiJet II engines
 - 1.3 MultiJet II 75 - 90 HP
 - 1.6 MultiJet II 100 - 105 HP
 - 1.6 MultiJet II 90 HP Comfort-Matic
 - 2.0 MultiJet II 135 HP
- Two petrol engines
 - 1.4 MPI 95 HP
 - 1.4 T-Jet 120 HP
- One dual-fuel methane/petrol engine
 - 1.4 120 T-Jet Natural Power 120 HP

NEW

- EcoJet versions: reduced consumption, right down to 4.4 l/100 km and 115 g/km CO₂, Savings up to 15%

ECOJET

DRIVING EXPERIENCE

- Bi-Link rear suspension, ensuring better stability and drivability
 - Best in class handling and driving comfort
 - Optimum behaviour in all load conditions
- Traction+: electronic traction control system that improves the vehicle's handling on terrain with poor grip

• MULTIFUNCTIONAL LOADING AREA

• BI-LINK REAR SUSPENSIONS

• 7 ENGINE VERSIONS

MORE VALUE

FIAT PROFESSIONAL HAS ALWAYS BEEN AT THE SIDE OF WORKERS. NOW, THE NEW DOBLÒ CARGO BRINGS THEM INCREASED PRODUCTIVITY, EVEN GREATER PERFORMANCE AND A HIGHLY FUNCTIONAL PROFESSIONAL ENVIRONMENT. THE NEW DOBLÒ CARGO IMPROVES DRIVERS' WORKING DAY AND QUALITY OF LIFE.



BODY COLOURS

PASTEL COLOURS



White 249



Red 168



Blue 479

METALLIC COLOURS



Pearl 261



Red 293



Light Blue 448



Navy Blue 487



Bordeaux 590



Grey 695



Light Grey 612



Black 632

INTERIOR TRIMS

CARGO / WORK UP

CARGO

CARGO SX / COMBI

COMBI SX



STAR GREY



PIERCE GREY



PINSTRIPED GREY



PINSTRIPED RED



POP OLONA GREY



POP OLONA RED

HUB CAPS AND RIMS



15" HUB CAPS



16" HUB CAPS



15" ALLOY WHEELS



16" ALLOY WHEELS

RANGE



EXTERNAL DIMENSIONS (mm)	VAN	MAXI VAN	HIGH ROOF VAN		CHASSIS CAB WITH LOAD PLATFORM		COMBI		WORK UP
			SHORT WHEEL-BASE	XL	SHORT WHEEL-BASE	LONG WHEEL-BASE	SHORT WHEEL-BASE	MAXI / XL	
Wheelbase	2,755	3,105	2,755	3,105	2,755	3,105	2,755	3,105	3,105
Max. length	4,406	4,756	4,406	4,756	4,227	4,577	4,406	4,756	4,981
Max. width	1,832	1,832	1,832	1,832	1,789	1,789	1,832	1,832	1,872
Max. height when empty	1,845	1,880	2,125	2,125	1,845	1,845	1,845-1,895*	1,880-1,927*/2,125	2,049

LOAD COMPARTMENT DIMENSIONS (mm)

Length	1,820/3,050**	2,170/3,400**	1,820/3,050**	2,170/3,400**	-	-	950	1,300	2,300
Max. width	1,714	1,714	1,714	1,714	-	-	1,195	1,261	1,818
Max. height	1,305	1,305	1,550	1,550	-	-	1,250	1,495	368
Height of load threshold (empty)	545	545	545	545	-	-	-	-	935
Width between wheel arches	1,230	1,230	1,230	1,230	-	-	-	-	-

LOAD COMPARTMENT CAPACITY (m³)

Volume	3.4/3.8**	4.2/4.6**	4.0/4.4**	5/5.4**	-	-	0.79/3.2*	1.05-4*/1.05/4.8*	-
--------	-----------	-----------	-----------	---------	---	---	-----------	-------------------	---

LOAD COMPARTMENT ACCESSIBILITY (mm)

Rear door									
Width	1,231	1,231	1,231	1,231	-	-	-	-	-
Height	1,250	1,250	1,455	1,455	-	-	-	-	-
External side door									
Width	700	700	700	700	-	-	-	-	-
Height	1,175	1,175	1,175	1,175	-	-	-	-	-

WEIGHTS* (kg)

Capacity including driver	750	750	750	-	-	-	5p + 335	-	-
Increased capacity	900*/980*/1,005	900*/980*/1,005	900*/950*/1,005	1,005	-	-	5p + 425/5p + 215*	5p + 425	1,000

* with 1.4 16v engine
 ** with passenger seat folded down and swivel partition
 * with opt 357 roof rails
 ▲ with back seats folded down without partition tube
 ◆ refers to basic versions without optional equipment
 ● with Natural Power engine

ENGINES

	95 MPI	120 T-JET / 120 T-JET NATURAL POWER	75-90 MULTIJET II	90 MULTIJET II COMFORT MATIC	100 / 105 MULTIJET II	135 MULTIJET II
Displacement cm³	1,368	1,368	1,248	1,598	1,598	1,956
Emissions level	Euro 6	Euro 6	Euro 5+	Euro 5+	Euro 5+	Euro 5+
EC max. power: kW (HP) at rpm	70 (95) @ 6,000	88 (120) @ 5,000	55/66 (75/90) @ 4,000	66 (90) @ 4,000	73/77 (100/105) @ 4,000	99 (135) @ 3,500
EC max. torque: Nm at rpm	127 (12.9) @ 4,500	206 (21.0) @ 2,000	200 (20.4) @ 1,500	200 (20.4) @ 1,500	290 (29.6) @ 1,500	320 (32.6) @ 1,500
Supply	Multipoint electronic injection (MPI), sequential, timed, returnless system	electronic timed sequential Multipoint injection (MPI), turbo and intercooler, returnless system (specific injection for methane)	MultiJet II Common Rail direct injection with electronic control, turbo and intercooler		MultiJet II Common Rail direct injection with electronic control, turbo and intercooler	
Gearbox: number of gears	5 + R	6 + R	5 + R	5 + R with electronically managed electro-hydraulic control system	6 + R	6 + R
Front suspension	independent, MacPherson type with wishbones secured to an auxiliary crossmember, telescopic hydraulic shock absorbers, coil springs and anti-roll bar					
Rear suspension	Bi-link independent, coil springs, telescopic shock absorbers with dual calibration and anti-roll bar (according to version)					
Performance and consumption: Cargo short wheelbase, 750 kg payload	E6 / E6 with S&S	120 T-JET E6	120 T-JET NATURAL POWER E6 - Petrol / E6 - Methane	E5+ with DPF / E5+ with DPF and S&S / E5+ ECOJET 90cv with DPF, S&S and ECOPack	E5+ with DPF and S&S	E5+ with DPF / E5+ with DPF and S&S / E5+withECOJET 90cv with DPF, S&S and ECOPack
Combined consumption (l/100 km)	7.3 / 7	7.2	7.4 / 4.9*	5 / 4.8 / 4.4	4.9	5.4 / 5.2 / 4.7
CO ₂ emissions (g/km)	169 / 163	169	173 / 134	133 / 126 / 115	130	143 / 136 / 124

* kg/100 km

STANDARD AND OPTIONAL EQUIPMENT

		VAN	SX VAN	CHASSIS CAB WITH LOAD PLATFORM	COMBI	COMBI SX	WORK UP
EXTERIOR							
Side protection strips	927	●	●	●	●	●	●
Two asymmetric panelled rear wing doors		●	●	—	—	—	—
Two asymmetric glazed rear wing doors with heated rear window and wipers	519	○	○	—	●/○ (Maxi)	●/○ (Maxi)	—
Integral hub caps	878	●	●	●	●	●	●
15" alloy rims	108	○/— (Maxi)	○/— (Maxi)	—	○/— (Maxi)	○/— (Maxi)	—
16" alloy rims	431	○	○	—	○	○	—
Fog lights	097	○	○	○	○	●	○
Rear lights for platform	4EA	—	—	○	—	—	●
Front/rear splash guards	990	○	○	—	○	○	—
Rear splash guards	197	○	○	—	○	○	—
Front/rear body coloured bumpers	876	○	○	○	○	●	○
Window kit (fixed semi-glazed side section for van)	55D	○	○	—	—	—	—
Tinted rear windows	070	—	—	—	○	○	—
Right sliding side door	523	○/● (Maxi)	●	—	●	●	—
Left sliding side door	055	○	○	—	●	●	—
Third panelled window	526	●	●	—	○	○	—
Rear door with two blind wings for Combi versions	516	—	—	—	○	○	—
Glazed up-and-over tailgate, heated rear window and rear window wipers (no XL)	148	○	○	—	○/● (Maxi)	○/● (Maxi)	—
Electric door mirrors	041	○	○	○	○	●	○
Manual exterior rear view mirrors	043	●	●	●	●	—	●
Electrically controlled electric folding door mirrors	341	○	○	○	○	○	○
Painted door mirrors	976	○	●	○	○	●	○
Metallic paintwork	210	○	○	○	○	○	○
Third brake light		●	●	—	●	●	—
Rear window on roof of load compartment	585	○/— (Maxi)	○/— (Maxi)	—	—	—	—
High roof (no 1.3 MJt)	360	○/— (Maxi) / ● (XL)	○/— (Maxi) / ● (XL)	—	○ (M1) / — (Maxi) / ● (XL)	○ (M1) / — (Maxi) / ● (XL)	—

		VAN	SX VAN	CHASSIS CAB WITH LOAD PLATFORM	COMBI	COMBI SX	WORK UP
INTERNAL							
Protective ladder for driver	194	○	○	—	—	—	—
Split swivel partition	201	○	○	—	—	—	—
Fixed tube partition for combined versions (N1 type-approval)	56K	—	—	—	○	○	—
Fixed metal partition	149	●	●	—	—	—	—
Fixed metal partition with central glass window	199	○	○	○	—	—	●
Complete partition for third seat (panel + grille)	7ET	○	—/● (SX 3-seater)	—	—	—	—
Driver side ladder for 3 rd seat	7EU	○	—/● (SX 3-seater)	—	—	—	—
Sound-insulated partition	552	○	●	○	—	—	●
Lockable glove compartment on dashboard	658	○	●	○	○	●	○
Leather steering wheel and gear lever knob	320	○	○	○	○	○	○
Driver's seat with armrest, lumbar and height adjustment	627	○	—	○	○	—	○
Two-seater multifunctional bench	293	○	—/● (SX 3-seater)	—	—	—	—
Adjustable passenger seat with storage compartment in cushion	295	○	●	○	—	—	○
Passenger seat with adjustable backrest	297	○	○	○	●	●	●
Passenger seat, foldable to floor	4GQ	○	○	○	—	—	○
Passenger seat that folds down into a table	785	—	—	—	○	○	—
Heated driver's seat	453	○	○	○	○	○	○
Heated passenger seat	452	○	○	○	○	○	○
2 nd row split seats, three-point seat belts and headrest	195	—	—	—	●	●	—
Imitation leather upholstery	728	○	—	○	—	—	○
PVC load compartment mat	798	—	●	—	—	—	—
Luggage compartment mat		—	—	—	●	●	—
Luggage compartment curtain	104	—	—	—	●	○/● (Maxi)	—
Adjustable rigid parcel shelf for luggage compartment	209	—	—	—	○/— (Maxi)	●/— (Maxi)	—

		VAN	SX VAN	CHASSIS CAB WITH LOAD PLATFORM	COMBI	COMBI SX	WORK UP
FUNCTIONAL / ELECTRIC							
Remote control for door opening and locking	008	○	●	○	○	●	○
Additional remote control key	4YV	○	○	○	—	—	○
Power steering	014	●	●	●	●	●	●
Height and reach-adjustable steering wheel	011	●	●	●	●	●	●
Electric front windows and electric door locking	028 + 228	●	●	●	●	●	●
Electric rear windows	023	—	—	—	○	●	—
Smokers' kit	989	○	○	○	○	○	○
12 V socket in dashboard		●	●	●	●	●	●
12 V socket in load compartment (no CNG)	4HG	○	●	—	●	●	—
Third 12 V socket in tunnel	JKP	○	○	○	○	○	○
Boosted battery and alternator	065	○	○	○	○	○	○
Transformer socket	081	○	○	○	—	—	○
Headlight alignment corrector	048	●	●	●	●	●	●
Load compartment roof light with removable torch	58F	○	○	—	—	—	—
Trip computer		●	●	●	●	●	●
Rev counter	044	●	●	●	●	●	●
Retaining rings in the load compartment		●	●	—	●	●	●
Roof rails (no XL)	357	○	○	—	○	○	—
Long load roof bars (inside load compartment)	983	○	○	—	—	—	—
Automatic climate control	140	○	○	○	○	○	○
Manual climate control	025	○	●	●	○	●	○
Outside temperature sensor	5BY	○/● (CNG and 1.6 MTA)	●	●	○	●	○
PTC heater for diesel engines	52Y	○	○	○	○	○	○
Cruise Control	416	○	○	○	○	○	○
Additional methane cylinder	422	○ (Maxi)	○ (Maxi)	—	—	—	—
Fix&Go tyre repair kit	499	●	●	●	●	●	●
Spare wheel, normal size	980	○	○	○	○/— (M1)	○/— (M1)	○
Wheel repair and replacement kit	64E	○	○	○	—	—	○
Parking sensors	508	○	○/● (SX 3-seater)	—	○	○	—
Increased payload	943	○/● (Maxi and XL; CNG and Bz)	○/● (Maxi and XL; CNG and Bz)	●	—	—	●
Reinforced suspension	057	—	—	—	○/● (Maxi and XL)	○/● (Maxi and XL)	—

		VAN	SX VAN	CHASSIS CAB WITH LOAD PLATFORM	COMBI	COMBI SX	WORK UP
SAFETY / MECHANICS							
Four sensor ABS + EBD (Electronic Brake Distribution)	009	●	●	●	●	●	●
Driver airbag		●	●	●	●	●	●
Side airbags (head + chest)	505	○	○	○	○	○	—
Passenger airbag	502	○	○	○	○	●	○
Anti-intrusion bars on cabin doors		●	●	●	●	●	●
FPS fire prevention system with inertia switch		●	●	●	●	●	●
Height-adjustable front headrests with whiplash protection	42F	○	○	○	○	○	○
Rear head restraints	182	—	—	—	●	●	—
Safe Lock (door security system)	064	○	○	—	○	○	—
Setup for anti-theft system	388	○	○	—	○	○	—
Start&Stop - as standard on 1.6 MTA (no CNG and 2.0 MJt and 1.4 Pt)	5DE	○	○	○	○	○	○
ECOjet pack (only on 1.6MJt 105 HP 1.3MJt 90 HP)	5KQ + 5DE	○	○	○	○	○	○
ESC Electronic stability control system	392	●	●	●	●	●	●

		VAN	SX VAN	CHASSIS CAB WITH LOAD PLATFORM	COMBI	COMBI SX	WORK UP
AUDIO / TELEMATICS							
Radio setup with cables and aerial	072	●	●	●	●	●	●
Speakers	4HL	○	○	○	○	○	○
Radio with Bluetooth®	6ZE	○	●	○	○	●	○
5" touchscreen radio with Bluetooth®	6Q2	○	○	○	○	○	○
5" touchscreen radio with Bluetooth® and DAB	6Q3	○	○	○	○	○	○
5" NAV touchscreen radio with Bluetooth® and DAB	6Q9	○	○	○	○	○	○
Radio controls on steering wheel	245	○	●	○	○	●	○

1 not available for: 2.0 MultiJet, 1.4 petrol and 1.4 Natural Power

● standard ○ optional — not available



Model trim levels and optional extras may vary according to specific market or legal requirements. All data contained in this publication are only indicative. Fiat may change the models described in this publication at any time for reasons of a technical or commercial nature. Fiat Marketing 02.3.2304.08 - S - 11/2014 - Printed in Italy - Tipo Stampa (TO). Publication printed on chlorine-free paper.



www.fiatprofessional.com

