

DOBLÒ CARGO





ACTIVE

RANGE

THE PROUD COMMUNITY OF DOERS.

Doblò Cargo offers the widest range in the segment, to grow your business and bring more quality to your day. **Van** for goods transport, **Combi** for goods and people transport, both with two height variants and two lengths. Doblò **Work Up**, the ideal pick-up for all occasions and **Chassis cab** with platform, in two lengths, for creating the vehicle best suited to your professional needs.

There's a huge number of different body types, possible versions and solutions, ranging from vans to rapid fixed-route vehicles, versions outfitted for specific uses and special vehicles.





ACTIVE

MOVER

A BETTER WAY
TO WORK.

With its wide and versatile range, Doblò Cargo is an invaluable partner for meeting all requirements with fine-tuned and intelligent solutions, such as the regular shape of the load compartment, the convenient handles (both vertical external and “pullcup” internal), the 180° rear door opening and the wide sliding side door. Its low load threshold facilitates loading/unloading operations, while the **volume** of more than **5 m³**, the **load capacity** greater than **1 tonne** and the **internal length** of up to **3.4 m** make Doblò Cargo perfect for any use, maintaining its status of “best in class” in the category and the best work partner.





ACTIVE

DESIGN

EXTERIOR STYLE AND INTERNAL ROOMINESS.

Doblò Cargo features an **exterior car** design with a distinctive front end, a streamlined bonnet that follows the curve of the roof and rear light cluster which emphasizes the horizontal flow of the silhouette. These features make for an harmonious whole, in which the Doblò Cargo shows a compact and well-proportioned appearance. Inside the cabin, the space is updated from an ergonomic perspective, it is functional and well organized. All the controls are easy to reach and the dashboard has many spacious storage compartments – like the slow-open compartment, able to hold a 10" tablet – while the door panels have large and versatile pockets.



CONVENIENT AND PRACTICAL LOAD COMPARTMENT THRESHOLD



REAR WING DOOR HANDLE WHICH IS EASY TO OPEN, EVEN WITH A SINGLE FINGER

THE LOAD AREA OF THE VAN IS CHARACTERIZED BY A SQUARE SHAPE WITH AN AMPLE AND REGULAR SURFACE AND HAS BEEN OPTIMIZED FOR ALL KINDS OF LOADS. IT PROVIDES A BEST IN CLASS VOLUME CAPACITY (UP TO 5.4 M³ WITH THE SWIVELING BULKHEAD). THE HEIGHT OF THE REAR DOORS IS BEST IN CLASS



ACTIVE

COMFORT

FUNCTIONALITY
GOES ON BOARD.

Everything on board Doblò Cargo has been designed to enhance functionality and comfort. The interior space offers many storage compartments: one underneath the front seat bench, a slow-open **compartment** and the door panels pockets. Great attention has also been paid to the **acoustic**, limiting the noise in the cabin.



FOLDING PASSENGER SEAT BACKREST



FOLDING CENTRAL SEAT BACKREST



PASSENGER SIDE UNDER-SEAT COMPARTMENT



ACTIVE

TECHNOLOGY

CONNECT YOUR WORK.

Doblò Cargo offers the infotainment system **Uconnect™ 5"** touchscreen, including USB, SMS reader, steering wheel commands and Bluetooth® technology. In addition, **the radio Uconnect™ 5" Nav** includes navigation system TomTom 2.5D, voice commands and TomTom IQ Routes®. It provides 3D maps and the opportunity to search for destination, through an intuitive query for POIs and addresses, while **Siri® Eyes Free*** allows users to interact with an iPhone thanks to voice recognition. It also allows you to listen to the Digital Radio (DAB/ DAB+) guaranteeing a high quality sound. It also offers the function eco:Drive, helping the driver to reduce the fuel consumption and CO₂ emissions.

* Siri® Eyes Free System requires a compatible iPhone equipped with Siri technology



UCONNECT™ RADIO TOUCHSCREEN



BLUETOOTH® RADIO

MOPAR® CONNECT

Thanks to MOPAR® Connect technology, the driver will be always connected with his Doblò Cargo: remote assistance and control service guarantee the opportunity to drive safely, in complete freedom and with easier vehicle care.



MY:ASSISTANT

YOUR SAFETY AND YOUR SECURITY ARE ALWAYS OUR PRIORITY

CRASH ASSISTANCE

In case of crash, the system instantly responds contacting a Mopar agent to provide you full assistance.

ROADSIDE ASSISTANCE

In case of breakdown, get immediately in touch with a Mopar agent, who can check the situation from remote and provide assistance to the location reported by your Doblò Cargo GPS.

THEFT ASSISTANCE

Get an alert when your vehicle is moving in a suspicious way and get assistance for tracking it and recovery.



MY:REMOTECONTROL

LET YOUR SMARTPHONE BECOME AN INTERACTIVE KEY TO REMOTELY CONTROL YOUR DOBLÒ CARGO WHEREVER YOU ARE AND WHENEVER YOU NEED

FIND CAR

Find easily where your vehicle is parked. The system will pinpoint the location on a map and provide you the fastest way to reach it.

LOCK DOORS

Lock or unlock the vehicle from remote.

SET NOTIFICATION

Geo Alert

Be alerted whenever the vehicle gets in or out a defined geographical area

Speed alert

Be notified if your vehicle goes beyond a defined speed limit.



MY:CAR

THE PERSONAL TRAINER TO KEEP YOUR DOBLÒ CARGO ALWAYS FIT

LIVE STATUS

Keep the vehicle status always under control. Main features, such as remaining fuel, battery level, tire pressure, current mileage and doors status can be always checked in real time anywhere.



ACTIVE

POWER

STRONG PERFORMANCE.

“Best in class” in terms of handling and driving comfort: Doblò Cargo, thanks to its **Bi-link** suspension, the improved gearbox and clutch and its **wide range of engines**, ensures smooth and comfortable driving in every situation. Additionally, thanks to the “one mission one engine” strategy, Doblò Cargo offers the utmost performance, according to the various professional requirements and types of use. Its powertrains, ideal both in **town** and on **long distances**, are able to offer more impressive performance, high torque at all speeds and optimal consumption, for great running costs.



1.3 MULTIJET₂



1.6 MULTIJET₂



DIESEL ENGINE RANGE

Three MultiJet₂ Diesel engines

1.3 MultiJet₂, 80 - 95 HP

1.6 MultiJet₂, 100 - 105 HP

1.6 MultiJet₂, 120 HP

ECOjet

The “EcoJet” versions of the 1.3 MultiJet₂ and 1.6 MultiJet₂ engines offer a considerable **reduction** in terms of **fuel consumption and emissions level**, thanks to the use of the Start&Stop system, low rolling resistance tyres, low-viscosity oil, “high efficiency” alternator, variable displacement oil pump and aerodynamic pack.

80 MULTIJET₂

Displacement: 1.248 cm³

Emissions standard:

Euro 6d-TEMP with DPF Start&Stop and EcoPack (ECOJET)


Power: 59 kW

(80 HP) at 3.750 rpm

Torque: 200 Nm (20,4 kgm)

at 1.500 rpm

Injection: direct Common Rail MultiJet₂ with electronic control, turbo and intercooler



95 MULTIJET₂

Displacement: 1.248 cm³

Emissions standard:

Euro 6d-TEMP with DPF Start&Stop and EcoPack (ECOJET)


Power: 70 kW

(95 HP) at 3.750 rpm

Torque: 200 Nm (20,4 kgm)

at 1.500 rpm

Injection: direct Common Rail MultiJet₂ with electronic control, turbo and intercooler



120 MULTIJET₂

Displacement: 1.598 cm³

Emissions standard:


Euro 6d-TEMP with DPF Start&Stop and EcoPack (ECOJET)

Power: 88 kW (120 HP) at 3.750 rpm

Torque: 320 Nm

(32,6 kgm) at 1.750 rpm

Injection: direct Common Rail MultiJet₂ with electronic control, turbo and intercooler



100/105 MULTIJET₂

Displacement: 1.598 cm³

Emissions standard:

Euro 6d-TEMP with DPF Start&Stop and EcoPack (ECOJET)


Power: 73-77 kW

(100/105 HP) at 3.750 rpm

Torque: 320 Nm

(32,6 kgm) at 1.750 rpm

Injection: direct Common Rail MultiJet₂ with electronic control, turbo and intercooler



The CO₂ emission and fuel consumption values are defined based on official tests, in conformity with the provisions of the EU Regulations in force at the time of homologation. In particular, the indicated values are calculated based on the WLTP test procedure. The CO₂ and consumption values are only indicated for the purpose of comparing the vehicle data. The CO₂ and consumption homologation values may not be representative of the effective CO₂ and consumption values, which depend on many factors related, for example, to weather and road conditions and to vehicle condition, use and equipment. The CO₂ and consumption values specified in this document refer to the versions of the vehicle with the highest and lowest values. These values may change depending on the selected equipment and/or tyre dimensions. The indicated CO₂ and consumption values are not definitive and may evolve if the production cycle is modified. In any case, the official CO₂ and consumption values of the purchased vehicle will be provided with its accompanying documents. If the CO₂ and consumption values affect the calculation of the vehicle duties and taxes, refer to the applicable standards in force.



ACTIVE

POWER



IMPROVES FUEL ECONOMY.

The Natural Power engine of Doblò Cargo reflects its respect for the environment. The 120 HP 1.4 T-Jet Natural Power engine with **dual-fuel system** - methane and petrol - is designed to minimise running costs and increase the vehicle's productivity. With the innovative Multipoint methane injection system, the driveability characteristics are the same as when running on petrol, without compromising neither payload nor cargo volume. High maximum torque (206 Nm at 3.000 rpm) offers outstanding acceleration even with a full load. Doblò Cargo also offers a **gasoline engine**, 1.4 T-JET 120 HP with excellent performance both in city traffic and long distances.



METHANE ENGINE 120 T-JET NATURAL POWER


Displacement: 1.368 cm³
Emissions standard: Euro 6d-TEMP (B)*
Power: 88 kW (120 HP) at 5.000 rpm
Torque: 206 Nm (21,0 kgm) at 3.000 rpm
Injection: Multipoint (MPI) electronic, sequential phased, turbo and intercooler, returnless system (specific injection for methane)



CARGO MAXI VERSION WITH
ADDITIONAL METHANE TANK (OPT. 422)

PETROL ENGINE 120 T-JET

Displacement: 1.368 cm³
Emissions standard: Euro 6d-TEMP (B)*
Power: 88 kW (120 HP) at 5.000 rpm
Torque: 206 Nm (21,0 kgm) at 3.000 rpm
Injection: Multipoint (MPI) electronic, sequential phased, turbo and intercooler, returnless system



* FOR FURTHER DETAILS PLEASE SEE PAGE 13



ACTIVE

SAFETY

PERFECT CONTROL.

In the safety field, road holding is ensured by adopting as standard the most advanced electronic stability control devices, such as **ABS** with electronic brake force distributor (EBD), **ESC** complete with ASR (Anti Slip Regulation), HBA (Hydraulic Brake Assist) and **Hill-Holder** (hill start assistance) systems. The TPMS also guarantees constant monitoring of tyre pressure. The front airbags and front side airbags protect both head and chest. Completing the equipment dedicated to safety: Fire Prevention System, body with crumple zones, steering system with collapsible telescopic steering column and knee protection.

The rear view camera is activated when the reverse gear is engaged and shows the rear area around the vehicle through the screen of the Uconnect radio on the dashboard. When the rear camera is active, a grid with multicolour static lines appears to indicate the distance of the rear part of the vehicle.

REAR VIEW CAMERA



The ultrasonic parking sensors activate when reverse is engaged and advise the driver that an obstacle is approaching through an intermittent sound.

PARKING SENSORS



BI-LINK - ONE SUSPENSION, MANY USES



Standard versions

- excellent road holding
- specific setup for excellent dynamic behaviour



1 ton payload versions

- excellent performance
- longitudinal trailing arms and specific cross bars
- anti-roll bar and specific setup for optimum dynamic performance levels in all load conditions



Combi versions

- maximum comfort
- exceptional handling in all driving conditions
- anti-roll bar and specific calibration



ELECTRONIC STABILITY CONTROL ESC

This standard system intervenes in emergency situations, such as sudden swerving manoeuvres to avoid an obstacle. It monitors parameters such as lateral acceleration, speed, grip and angle of the steering wheel. It processes the data and, if necessary, intervenes on the drive torque and the braking system to bring the vehicle back to conditions of perfect stability.



TRACTION+

Traction+ is the innovative traction control system that improves traction on the most challenging, low-grip surfaces. If one of the drive wheels loses traction, the control unit detects slippage, brakes the wheel and sends torque to the wheel with most grip. In this way, the vehicle's performance is more comfortable, ensuring the best stability and handling.



HILL HOLDER

This standard content brakes the vehicle on hill-starts, and stops it rolling backwards without any handbrake input from the driver. It then releases the brake automatically



FOG LIGHTS

Installed at the bottom of the front bumper, the fog lights offer maximum efficiency and protection.



CRUISE CONTROL

Cruise Control allows you to set the cruising speed and keep it constant.



TYRE PRESSURE MONITORING SYSTEM (TPMS)

This monitors the pressure of the tyres constantly, indicating any loss in pressure directly on the on-board display.



ACTIVE

VERSATILITY

**MORE SHAPES
AND SIZES.**

Doblò Cargo offers you a wide range of solutions both for goods and people transport, delivering a spacious and comfortable place to spend your working day.

Thanks to its useful versatility, Doblò Cargo is ready to be with you in all your professional activities.

Discover how Doblò Cargo can become your perfect partner!





ACTIVE

VERSATILITY

VAN AND MAXI VAN.

Versatile, robust and agile: the short wheelbase standard roof version of Doblò Cargo is an ideal companion for all types of business. Practical and functional in all situations, it boasts an exceptional capacity and ease of loading. With 35 cm extra length, the Maxi van offers record-breaking interior space and volume.



MAXI VAN



VAN

VAN AND MAXI VAN RANGE



PANELLED VAN*

WITH 2 WINGS, PANELLED



PANELLED VAN

WITH ONE SLIDING SIDE DOOR

AVAILABLE WITH 2 WINGS, GLAZED OR PANELLED REAR DOOR (OPT. 585)



PANELLED VAN

WITH TWO SLIDING SIDE DOORS

WITH 2 WINGS, GLAZED (OPT. 519)



SEMI-GLAZED VAN

WITH 2 WINGS, PANELLED



SEMI-GLAZED VAN

WITH ONE SLIDING SIDE DOOR

AVAILABLE WITH 2 WINGS, GLAZED OR PANELLED REAR DOOR (OPT. 585)



SEMI-GLAZED VAN

WITH TWO SLIDING SIDE DOORS

WITH 2 WINGS, GLAZED (OPT. 519)



GLAZED VAN

WITH TWO SLIDING SIDE DOORS

GLAZED (OPT. 148)



REAR DOOR

WITH 2 WINGS, PANELLED



REAR ROOF WINDOW*

AVAILABLE WITH 2 WINGS, GLAZED OR PANELLED REAR DOOR (OPT. 585)



REAR DOOR

WITH 2 WINGS, GLAZED (OPT. 519)



TAILGATE

GLAZED (OPT. 148)



EXTERNAL DIMENSIONS

Version	VAN	MAXI VAN
Wheelbase (mm)	2755	3105
Length (mm)	4406	4756
Width (mm)	1832	1832
Height (mm)	1845	1880

LOAD COMPARTMENT DIMENSIONS

Version	VAN	MAXI VAN
Length (mm)	1820	2170
Width (mm)	1714	1714
Height (mm)	1305	1305
Width between wheel arches (mm)	1230	1230
Load threshold height (unladen) (mm)	545	545
Volume (m ³)	3.4 3.8 [▲]	4.2 4.6 [▲]
Payload including driver (kg)	from 750 to 1005	from 750 to 1005

▲ With passenger seat folded down and swivel partition

* NOT AVAILABLE IN MAXI VERSION



ACTIVE

VERSATILITY

HIGH ROOF AND XL.

Dedicated to those who demand the ultimate in load space from an agile and compact van.

Doblò Cargo High roof offers you additional 25 cm of height and 0.6 m³ of volume than the standard version, with no change in the vehicle's horizontal dimensions.

Doblò Cargo XL combines the length of the Maxi and the height of the High Roof.

HIGH ROOF



XL



HIGH ROOF AND XL VAN RANGE



PANELLED VAN*



PANELLED VAN

WITH ONE SLIDING SIDE DOOR



PANELLED VAN

WITH TWO SLIDING SIDE DOORS



SEMI-GLAZED VAN*



SEMI-GLAZED VAN

WITH ONE SLIDING SIDE DOOR



SEMI-GLAZED VAN

WITH TWO SLIDING SIDE DOORS



GLAZED VAN

WITH TWO SLIDING SIDE DOORS



REAR DOOR

WITH 2 WINGS, PANELLED



REAR DOOR

WITH 2 WINGS, GLAZED (OPT. 519)

* NOT AVAILABLE IN XL VERSION



EXTERNAL DIMENSIONS

Version	HIGH ROOF	XL
Wheelbase (mm)	2755	3105
Length (mm)	4406	4756
Width (mm)	1832	1832
Height (mm)	2125	2125

LOAD COMPARTMENT DIMENSIONS

Version	HIGH ROOF	XL
Length (mm)	1820	2170
Width (mm)	1714	1714
Height (mm)	1550	1550
Width between wheel arches (mm)	1230	1230
Load threshold height (unladen) (mm)	545	545
Volume (m ³)	4.0 4.4 [▲]	5.0 5.4 [▲]
Payload including driver (kg)	from 750 to 1005	1005

▲ With passenger seat folded down and swivel partition



ACTIVE

VERSATILITY

WORK UP.

A genuine work partner, designed, made and guaranteed entirely by Fiat Professional, Doblò Work Up is also ideal for working in city centres and wherever you need a compact, easy-to-handle vehicle day in, day out. It can transport high loads, moving nimbly through the city streets. With its **4.98 m total length** and loading capacity (payload up to 845 kg and maximum permitted load of 1450 kg on rear axle), Doblò Work Up knows no rivals.

The body with marine plywood platform is its real strength: **2.3 m long, 1.82 m wide** and with **4.2 m² surface area**, it can accommodate up to 3 Euro pallets or 33 crates of fruit.



HOOKS FOR SECURING LOADS ON POLE RACK WALL



INTERNAL STEPS FOLDING INTO SIDEBOARDS



EXTERNAL COMPARTMENT WITH LOCK FOR STORING TOOLS UP TO 2 METRES IN LENGTH



FOLDAWAY SIDE RELEASE LEVERS



EXTERNAL DIMENSIONS

Version	WORK UP
Wheelbase (mm)	3105
Length (mm)	4981
Width (mm)	1872
Height (mm)	2049

LOAD COMPARTMENT DIMENSIONS

Version	WORK UP
Length (mm)	2300
Width (mm)	1818
Side height (mm)	368
Load threshold height (mm)	910
Load Surface (mm)	4.2
Payload including driver (kg)	845



ACTIVE

VERSATILITY

CHASSIS CAB WITH PLATFORM.



ANCHORAGE POINTS ON THE CAB AND PLATFORM, OPTIMUM SETUP FOR ALL TYPES OF BODY



SPARE WHEEL ACCESSIBLE FROM THE REAR AND COMPATIBLE WITH MOST CONVERSIONS (OPT. 980)



EXTERNAL DIMENSIONS

Version	CHASSIS CAB WITH PLATFORM	CHASSIS CAB WITH PLATFORM MAXI
Wheelbase (mm)	2755	3105
Body length (mm)	2285	2795
Body width (mm)	1870	1870

Doblò Cargo chassis cab with platform is designed to easily accommodate the most diverse outfits, in line with the most diverse professional requirements.

Available with both **short and long wheelbase**, it can be converted, for example, for **refrigerated bodies, fixed and tipper beds, and small camper bodies**. The payload, chassis dimensions and structural and electrical solutions are great for all types of **conversion**.



CHASSIS CAB WITH PLATFORM



CHASSIS CAB WITH PLATFORM MAXI



LIGHTING SETUP WITH EXTRA-LONG CABLE AND REAR LIGHT CLUSTER (OPT. 4EA)



TRANSFORMER SOCKET - ELECTRICAL INTERFACE FOR CONNECTING BODY EQUIPMENT SERVICES (OPT. 081)

LOAD COMPARTMENT DIMENSIONS

Version	CHASSIS CAB WITH PLATFORM	CHASSIS CAB WITH PLATFORM MAXI
Max. GVW (kg)	2484	2510
Max. load permitted on front axle (kg)	1200	1200
Max. load permitted on rear axle (kg)	1450	1450



ACTIVE

VERSATILITY

COMBI.



COMBI



COMBI XL



COMBI

WITH 2 SLIDING SIDE DOORS



COMBI MAXI

WITH 2 SLIDING SIDE DOORS



COMBI XL

WITH 2 SLIDING SIDE DOORS



COMBI SEMI-GLAZED

WITH 2 GLAZED SLIDING SIDE DOORS AND A THIRD PANELLED WINDOW (OPT. 526)



COMBI MAXI SEMI-GLAZED

WITH 2 GLAZED SLIDING SIDE DOORS AND A THIRD PANELLED WINDOW (OPT. 526)



COMBI XL SEMI-GLAZED

WITH 2 GLAZED SLIDING SIDE DOORS AND A THIRD PANELLED WINDOW (OPT. 526)



REAR DOOR

WITH 2 WINGS, PANELLED (OPT. 516)



REAR DOOR

WITH 2 WINGS, GLAZED



TAILGATE

GLAZED



REAR DOOR

WITH 2 WINGS, GLAZED



EXTERNAL DIMENSIONS

Version	COMBI	COMBI MAXI	COMBI XL
Wheelbase (mm)	2755	3105	3105
Length (mm)	4406	4756	4756
Width (mm)	1832	1832	1832
Height (mm)	1845	1880	2125

LUGGAGE COMPARTMENT DIMENSIONS

Version	COMBI	COMBI MAXI	COMBI XL
Length (mm)	950	1300	1300
Width (mm)	1195	1261	1261
Height (mm)	1250	1250	1495
Minimum width (mm)	1120	1191	1191
Rear shelf level (mm)	600	600	600
Volume	790/ 3200*	1050/ 4000*	1050/ 4800*
Payload including driver (kg) [▲]	5p + 335 (+ 450 [■])	5p + 450	5p + 425

* With second row of seats folded down, without tubular partition, using the entire available height.

■ With opt. 057 reinforced suspension.

▲ Reference 1.6 diesel engine



FOLDING AND FOLD-DOWN REAR SEATS
REAR SIDE PANELS ONLY AVAILABLE FOR SHORT WHEELBASE VERSIONS



LOAD COMPARTMENT

5 comfortable seats and a load capacity of up to 450 kg. Doblò Combi is the ideal vehicle for mixed people and goods transport and is available with short wheelbase, in Maxi and XL versions.



ACTIVE

PACK

THE RIGHT SOLUTION TO FIT YOUR MISSION

A wide range of packs built to satisfy all your needs. Whether you choose Doblò Cargo for its **Payload Capacity**, or for its **Cab Functionality** or even for its **Easy City Driving**, you will always find the perfect combination between your ideal vehicle and your driving mission.



PACK STYLE*

- Fog lights
- Electric side mirrors
- Painted side mirrors



PACK CITY NAV*

- Radio Uconnect 5" NAV touchscreen Bluetooth and DAB
- Rear parking sensors
- Rear view camera
- Cruise control
- Rain & dusk sensors



PACK WORK UP

- Two-seater multifunctional bench
- Radio Uconnect 5" touchscreen Bluetooth®
- Rear chassis coverage in body color
- Remote control for door opening and locking
- Driving seat with continuous seatback adjustment
- Lockable glovebox compartment



PACK FLEX 3

- Two-seater multifunctional bench
- Bulkhead for third seat (panelled + grid)



PACK PLUS*

- Sliding side door
- Manual climate control system
- Remote control for door opening and locking



PACK CITY*

- Rear parking sensors
- Cruise control
- Rain & dusk sensors

*Not available for Flatbed and Work Up



ACTIVE

PERSONALITY

OPTIONAL.

Doblò Cargo is designed to be at the top of the category in terms of functionality and organization. Every detail, such as the internal roof bars, the rigid rear shelf and the swivel partition, is useful to achieve more and get brilliant results.

ROOF WINDOW

The upper part of the load compartment can be opened thanks to the practical roof hatch, which permits the transport of long items like ladders or pipes in complete safety.



INTERNAL ROOF BARS

On request, the load compartment can be fitted with practical roof bars, which allow long objects to be stowed without occupying the lower part of the compartment and all of its capacity therefore to be fully exploited.



RIGID REAR SHELF

Available only on Combi short wheelbase. Supports up to 70 kg.



PARTITIONS

The load compartment and cab can be separated by many types of partition. In addition, the panelled and glazed partitions are also available with internal soundproofing.

Panelled partition



Glazed partition



Driver side ladder



Swivel partition, available for 2 seats configuration only



Multi functional partition for 3 seats configuration, removable on passenger side to accommodate long objects



Load compartment cover





ACTIVE

PERSONALITY

OPTIONAL.

When comfort meets functionality, both quality of life and professional results improve on board. All the controls like the removable roof light, the electric adjustable and folding mirrors and the tunnel with three sockets are easy to reach; and all the practical solutions you can adjust with seats, make your day more profitable and less tiring.

REMOVABLE ROOF LIGHT

The load compartment can be illuminated by a practical roof light that can be removed if needed to act as a portable torch. Once replaced in its housing, the torch will recharge automatically.



ELECTRIC ADJUSTABLE AND FOLDING MIRRORS

Doblò Cargo's double door mirrors ensure a panoramic rear view combined with the utmost practicality, since they can be adjusted and folded electrically from inside. The external mirror spotter can be added to improve your visibility in parking manoeuvres.



TUNNEL WITH THREE SOCKETS


On the tunnel three power sockets can be available for connecting external devices.



SEATS

Depending on the version, many practical solutions are available for the driver and passenger seats:

- backrest adjustment;
- lumbar area adjustment;
- armrest adjustment;
- passenger backrest that folds down to a table (for Combi version);
- longitudinal seat sliding.



FOLDING CENTRAL SEAT BACKREST

In the 3 front seats configuration, both right side and central passenger seatback are foldable: the one of the central passenger seat has a document holder on the rear of the backrest.



PASSENGER SEAT FOLDING TO FLOOR LEVEL

In the 2 front seats configuration, with the swivel partition the seat can be folded to create a perfectly flat loading surface, providing an extra 0,4 m³ of storage volume and 1230 mm in length on all versions.





ACTIVE

PERSONALITY

OPTIONAL.

Doblò Cargo offers a big choice of surprising details, inside and outside.

Interiors provide a range of many spacious storage compartments like the oddments shelf (capucine) or the one under passenger seat. While exteriors come with stylish details, like the body-coloured painted bumpers or mirrors. Everything is aimed to enhance the lifestyle of those at work.

COMPARTMENT UNDER PASSENGER SEAT

Under the passenger seat a compartment allows items to be stored tidily and away from prying eyes.



LOCKABLE GLOVE COMPARTMENT

More functionality and more comfort in the cab thanks to many spacious compartments easy to reach.



ODDMENTS SHELF (CAPUCINE)

Practical and handy to store your items, always ready to use.



BODY-COLOURED PAINTED MIRRORS

More style to get yourself noticed at work.



BODY-COLOURED PAINTED BUMPERS

Doblò Cargo features a modern design thanks to distinctive and harmonious details.



FOG LIGHTS

Optional, they are installed in the lower part of the front bumper to guarantee maximum efficiency.





ACTIVE


LOOK

EVEN MORE YOURS.


PASTEL BODY COLOURS



249 White



168 Red



479 Blue


METALLIC BODY COLOURS




695 Grey




632 Black




293 Red




515 Blue



448 Light Blue



612 Light grey



722 Pearl

FABRICS

CARGO / WORK UP



213 Star Grey

CARGO LOUNGE / COMBI



275-223 Pinstripe Grey



273-203 Pinstripe Red

CARGO



280 Pierce* Grey

COMBI LOUNGE



301 Pop Olona Grey



389 Pop Olona Red

WHEEL RIMS



15" hub caps



16" hub caps



15" alloy wheel rims



16" alloy wheel rims



16" alloy wheel rims
Aftermarket solution

Doblò Cargo offers a wide variety of body colors, seat fabrics, hub caps, rims and alloy wheels. Be proud to create your own and perfect Doblò Cargo to get the job done with style.

* Imitation leather



ACTIVE

CUSTOMIZATION

**PERSONALITY ALWAYS
MAKES A DIFFERENCE.
AT WORK TOO.**

Doblò Cargo is completed by a wide range of original accessories, all of extremely high quality, created by **Mopar**, the reference brand for **Services, Customer Care, Original Spare Parts and Accessories** for the brands of FCA.



At your service



ROOF BARS. KIT OF 3 ALUMINIUM BARS



FRONT AIR DEFLECTORS



SIDE LADDER TILT FOR ROOF BARS



REAR SPLASH GUARDS



PIPE CARRIER FOR ROOF BARS



FRONT RUBBER MATS



ACTIVE

RANGE

FIAT PROFESSIONAL

A PRO LIKE YOU.

Recognizing a real pro is simple: just look at the equipment he has chosen for himself. Real pros work with pro tools only. That's why **FIAT PROFESSIONAL** is the best partner you could have, whatever your needs are. Its full **RANGE IS THE FIRST AND ONLY ONE BRANDED "PROFESSIONAL"** and it has been especially designed for specific purposes: yours.



DOBLÒ

You couldn't ask for a better way to work. You couldn't ask for a better business card. Simply unique. Just like your job.



FIORINO

The vehicle that invented the category. Unequalled in agility and capability. Cities love it. And so do the pros.



TALENTO

Agile, capable and ingenious. It's got the unique talent of transforming problems into solutions and challenges into opportunities. Day by day.



DUCATO

It's the undisputed leader in the world of work: the ground it's based upon. Strong, versatile and indispensable to everyone.





A PRO LIKE YOU



www.fiatprofessional.com

Trim levels of models and options may vary due to specific market or legal requirements. The data, descriptions and illustrations contained in this brochure are for illustrative purposes and are valid at the date of publication (01/2021).
Some equipment described and/or illustrated in this brochure is optional. Refer to the price list for full information. FCA may change the models described in this brochure at any time for technical or commercial reasons.

Fiat Marketing 04.3.4009.08 - S - 01/2021